


STANDARD container



Standar 20'

| | | |
|------------------------------|-----------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 28,230 kg | 62,240 lbs |
| Capacity | 33.2 m3 | 1,172 cu.ft |
| ISO | 22 GO (8Æ"high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|-------|---------|
| Length | m / ft | 5,895 | 19' 3" |
| Width | m / ft | 2,350 | 7' 1/2" |
| Height | m / ft | 2,392 | 7' 8" |


Standar 40'

| | | |
|------------------------------|-----------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 26,700 kg | 58,870 lbs |
| Capacity | 67.7 m3 | 2,390 cu.ft |
| ISO | 42 GO (8Æ"high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|--------|----------|
| Length | m / ft | 12,029 | 39' 1/2" |
| Width | m / ft | 2,350 | 7' 1/2" |
| Height | m / ft | 2,392 | 7' 8" |

HIGH CUBE container 40'



| | | |
|------------------------------|-------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 26,460 kg | 58,340 lbs |
| Capacity | 76.3 m3 | 2,694 cu.ft |
| ISO | 45 GO (9'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|--------|------------|
| Length | m / ft | 12,024 | 39' 5 1/2" |
| Width | m / ft | 2,350 | 7' 8 1/2" |
| Height | m / ft | 2,697 | 8' 10" |

Hardtop container



Hardtop 20'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 27,780 kg | 61,250 lbs |
| Capacity | 32.8 m ³ | 1,160 cu.ft |
| ISO | 22 U6 (8'6"high) | |

Interior Dimensions (may vary according to type)

| | | | |
|-----------------|--------|-------|----------|
| Length | m / ft | 5,886 | 19' 1/4" |
| Width | m / ft | 2,342 | 7' |
| height of sides | m / ft | 2,388 | 7'8" |
| Height | m / ft | 2,313 | 7'0" |


Hardtop 40'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 25,780 kg | 56,840 lbs |
| Capacity | 67.2 m ³ | 2,374 cu.ft |
| ISO | 42 U6 (8'6"high) | |

Interior Dimensions (may vary according to type)


| | | | |
|-----------------|--------|--------|----------|
| Length | m / ft | 12,020 | 39' 1/4" |
| Width | m / ft | 2,342 | 7' |
| height of sides | m / ft | 2,388 | 7'8" |
| Height | m / ft | 2,313 | 7'0" |

20' TANK container



| | |
|-----|---------------------------|
| ISO | 20 T5 (8') / 22 T0 (8'6") |
|-----|---------------------------|

OPEN TOP container



Open Top 20'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 24,000 kg | 52,910 lbs |
| Max. gross weight excl. tare | 21,900 kg | 48,280 lbs |
| Capacity | 33.2 m ³ | 1,172 cu.ft |
| ISO | 22 U1 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|-----------------|--------|-------|-----------|
| Length | m / ft | 5,895 | 19'6" |
| Width | m / ft | 2,350 | 7'8" |
| height of sides | m / ft | 2,394 | 7'10 1/2" |
| Height | m / ft | 2,364 | 7'9" |

Open Top 40'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,197 lbs |
| Max. gross weight excl. tare | 26,780 kg | 59,040 lbs |
| Capacity | 65.3 m ³ | 2,306 cu.ft |
| ISO | 42 U1 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|-----------------|--------|--------|----------|
| Length | m / ft | 12,038 | 39'6" |
| Width | m / ft | 2,336 | 7'8" |
| height of sides | m / ft | 2,370 | 7'9 1/2" |
| Height | m / ft | 2,320 | 7'7 1/2" |

Sea transport

FLAT container



Flat 20'

| | | |
|------------------------------|---------------------------|------------|
| Max. gross weight incl. tare | 24,000 kg | 52,910 lbs |
| Max. gross weight excl. tare | 21,200 kg | 46,740 lbs |
| ISO | 20 P1 (8') / 22 P1 (8'6") | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|-------|-------|
| Length | m / ft | 5.625 | 18'5" |
| Width | m / ft | 2.208 | 7'3" |
| Height | m / ft | 2.172 | 7'11" |


Flat 40'

| | | |
|------------------------------|-------------------|------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 26,280 kg | 52,935 lbs |
| ISO | 42 P1 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|-------|-------|
| Length | m / ft | 5.625 | 18'5" |
| Width | m / ft | 2.208 | 7'3" |
| Height | m / ft | 2.172 | 7'11" |

REEFER container



Reefer 20'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 27,320 kg | 62,230 lbs |
| Capacity | 28.4 m ³ | 1,000 cu.ft |
| ISO | 22 R1 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|---------|--------|-------|------|
| Length | m / ft | 5,479 | 18' |
| Width | m / ft | 2,286 | 7'6" |
| Height* | m / ft | 2,157 | 7' |

Reefer 40'


| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 25,280 kg | 55,740 lbs |
| Capacity | 57.3 m ³ | 2,023 cu.ft |
| ISO | 42 R1 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|---------|--------|--------|------|
| Length | m / ft | 11,192 | 39±" |
| Width | m / ft | 2,286 | 7'6" |
| Height* | m / ft | 2,120 | 7'0" |

*Maximum height of stowage

INSULATED (PORTHOLE) container



INSULATED (PORTHOLE) 20'

| | | |
|------------------------------|---------------------|------------|
| Max. gross weight incl. tare | 24,000 kg | 52,910 lbs |
| Max. gross weight excl. tare | 21,450 kg | 47,290 lbs |
| Capacity | 26.4 m ³ | 933 cu.ft |
| ISO | 20 H0 (8' high) | |

Interior Dimensions (may vary according to type)

| | | | |
|---------|--------|-------|-------|
| Length | m / ft | 5,724 | 18'6" |
| Width | m / ft | 2,286 | 7'6" |
| Height* | m / ft | 2,014 | 6'7" |

INSULATED (PORTHOLE) 40'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 30,480 kg | 67,200 lbs |
| Max. gross weight excl. tare | 25,830 kg | 56,950 lbs |
| Capacity | 58.4 m ³ | 2,060 cu.ft |
| ISO | 42 H0 (8'6" high) | |


Interior Dimensions (may vary according to type)

| | | | |
|---------|--------|--------|-------|
| Length | m / ft | 11,750 | 38'6" |
| Width | m / ft | 2,250 | 7'4" |
| Height* | m / ft | 2,080 | 6'9" |

*Maximum height of stowage

Sea transport

BULK R container



Bulk R 20'

| | | |
|------------------------------|---------------------|-------------|
| Max. gross weight incl. tare | 24,000 kg | 52,910 lbs |
| Max. gross weight excl. tare | 21,630 kg | 47,690 lbs |
| Capacity | 32.9 m ³ | 1,162 cu.ft |
| ISO | 22 B0 (8'6" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|-------|-------|
| Length | m / ft | 5,934 | 19'-" |
| Width | m / ft | 2,358 | 7'83" |
| Height | m / ft | 2,326 | 7'8" |

PLATFORM



PLATFORM 20'

| | | |
|------------------------------|--------------------|------------|
| Max. gross weight incl. tare | 24,000 kg | 52,910 lbs |
| Max. gross weight excl. tare | 21,900 kg | 48,280 lbs |
| ISO | 29 P0 (1'11" high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|-------|-----|
| Length | m / ft | 6,058 | 20' |
| Width | m / ft | 2,438 | 8' |

PLATFORM 40'

| | | |
|------------------------------|-----------------|------------|
| Max. gross weight incl. tare | 45,000 kg | 99,210 lbs |
| Max. gross weight excl. tare | 40,800 kg | 89,950 lbs |
| ISO | 49 P0 (2' high) | |

Interior Dimensions (may vary according to type)

| | | | |
|--------|--------|--------|-----|
| Length | m / ft | 12,192 | 40' |
| Width | m / ft | 2,438 | 8' |